ELSEVIER

Hearing Research 96 (1996) 209–210

HEARING RESEARCH

Author Index

Adler, H.J., see Gong, T.-W.L. (96) 20
Ahroon, W.A., see Jock, B.M. (96) 179
Aldrich, L.G., see Jock, B.M. (96) 179

Brownell, W.E., see Ratnanather, J.T. (96) 33

Cai, Y. and Geisler, C.D.
Long-term suppression of the responses of auditory nerve fibers to a characteristic-frequency tone by a low-frequency suppressor (96) 141
Cai, Y. and Geisler, C.D.
Suppression in auditory-nerve fibers of cats using low-side suppressors. I. Temporal aspects (96) 94
Cai, Y. and Geisler, C.D.
Suppression in auditory-nerve fibers of cats using low-side suppressors. II. Effect of spontaneous rates (96) 113
Cai, Y. and Geisler, C.D.
Suppression in auditory-nerve fibers of cats using low-side suppressors. III. Model results (96) 126
Cai, Y. and Geisler, C.D.
Temporal patterns of the responses of auditory-nerve fibers to low-frequency tones (96) 83
Capsius, B. and Leppelsack, H.-J.
Influence of urethane anesthesia on neural processing in the auditory cortex analogue of a songbird (96) 59
Chang, K.W. and Norton, S.J.
The effects of continuous versus interrupted noise exposures on distortion product otoacoustic emissions in guinea pigs (96) 1
Curtis, L.M., see Ma, Y.L. (96) 151

Gates, T.S., Weedman, D.L., Pongstaporn, T. and Ryugo, D.K.
Immunocytochemical localization of glycine in a subset of cartwheel cells of the dorsal cochlear nucleus in rats (96) 157
Geisler, C.D., see Cai, Y. (96) 83, 94, 113, 126, 141
Gerhardt, K.J., see Ma, Y.L. (96) 151
Gong, T.-W.L., Hegeman, A.D., Shin, J.J., Adler, H.J., Raphael, Y. and Lomax, M.I.
Identification of genes expressed after noise exposure in the chick basilar papilla (96) 20
Goodyear, R., Killick, R., Legan, P.K. and Richardson, G.P.
Distribution of β-tectorin mRNA in the early posthatch and developing avian inner ear (96) 167
Gratton, M.A., see Nakazawa, K. (96) 13

Hamernik, R.P., see Jock, B.M. (96) 179
Hegeman, A.D., see Gong, T.-W.L. (96) 20
Hofstetter, P., see Trautwein, P. (96) 71

Jock, B.M., Hamernik, R.P., Aldrich, L.G., Ahroon, W.A., Petriello, K.-L. and Johnson, A.R.
Evoked-potential thresholds and cubic distortion product otoacoustic emissions in the chinchilla following carboplatin treatment and noise exposure (96) 179
Johnson, A.R., see Jock, B.M. (96) 179

Kempton, J.B., see Trune, D.R. (96) 41
Killick, R., see Goodyear, R. (96) 167

Legan, P.K., see Goodyear, R. (96) 167
Leppelsack, H.-J., see Capsius, B. (96) 59
Lomax, M.I., see Gong, T.-W.L. (96) 20

Ma, Y.L., Rarey, K.E., Gerhardt, K.J., Curtis, L.M. and Rybak, L.P.
Electrochemical potentials and potassium concentration profiles recorded from perilymph, endolymph and associated inner ear tissues in adrenalectomized rats (96) 151
Mitchell, C., see Trune, D.R. (96) 41

Nakazawa, K., Spicer, S.S., Gratton, M.A. and Schulte, B.A.
Localization of actin in basal cells of stria vascularis (96) 13
Norton, S.J., see Chang, K.W. (96) 1
Nostrant, A., see Trautwein, P. (96) 71

Petriello, K.-L., see Jock, B.M. (96) 179
Pongstaporn, T., see Gates, T.S. (96) 157
Popel, A.S., see Ratnanather, J.T. (96) 33

Raphael, Y., see Gong, T.-W.L. (96) 20
Rarey, K.E., see Ma, Y.L. (96) 151
Rarey, K.E., see Yao, X. (96) 199
Ratnanather, J.T., Zhi, M., Brownell, W.E. and Popel, A.S.
Measurements and a model of the outer hair cell hydraulic conductivity (96) 33
Richardson, G.P., see Goodyear, R. (96) 167
Rybak, L.P., see Ma, Y.L. (96) 151
Ryugo, D.K., see Gates, T.S. (96) 157

Salvi, R., see Trautwein, P. (96) 71
Schröger, E.
Interaural time and level differences: integrated or separated processing? (96) 191
Schulte, B.A., see Nakazawa, K. (96) 13
Shin, J.J., see Gong, T.-W.L. (96) 20
Spicer, S.S., see Nakazawa, K. (96) 13

Trautwein, P., Hofstetter, P., Wang, J., Salvi, R. and Nostrant, A.
Selective inner hair cell loss does not alter distortion product otoacoustic emissions (96) 71
Trune, D.R., Kempton, J.B. and Mitchell, C.
Auditory function in the C3H/HeJ and C3H/HeSnJ mouse strains (96) 41

Wang, J., see Trautwein, P. (96) 71
Weedman, D.L., see Gates, T.S. (96) 157

Yao, X. and Rarey, K.E.
Detection and regulation of Cu/Zn-SOD and Mn-SOD in rat cochlear tissues (96) 199

Zhang, M. and Zwislocki, J.J.
Intensity-dependent peak shift in cochlear transfer functions at the cellular level, its elimination by sound exposure, and its possible underlying mechanisms (96) 46
Zhi, M., see Ratnanather, J.T. (96) 33
Zwislocki, J.J., see Zhang, M. (96) 46

ELSEVIER

Hearing Research 96 (1996) 211–213

HEARING RESEARCH

Subject Index

Acoustic trauma
Differential display; Parathyroid hormone-related protein; Calmodulin-regulated protein kinase II; CDC42; Basilar papilla (Gong, T.-W.L. (96) 20)

Active feedback
Outer hair cell; Hensen's cell; Best frequency; Sound exposure (Zhang, M. (96) 46)

Afferent synapse
Auditory nerve; Spontaneous rate; Two-tone suppression (Cai, Y. (96) 113)

Anesthesia
Auditory cortex analogue; Songbird; Telencephalon; Urethane (Capsius, B. (96) 59)

Auditory brainstem response
Mouse; C3H/HeJ substrain; C3H/HeSnJ substrain; Inner ear (Trune, D.R. (96) 41)

Auditory cortex analogue
Anesthesia; Songbird; Telencephalon; Urethane (Capsius, B. (96) 59)

Auditory evoked potential
Spatial hearing; Interaural cue; Mismatch negativity (Schröger, E. (96) 191)

Auditory nerve
Low-frequency tone; Peak-splitting; Phase (Cai, Y. (96) 83)

Two-tone suppression; Suppression phase-lead (Cai, Y. (96) 94)

Spontaneous rate; Two-tone suppression; Afferent synapse (Cai, Y. (96) 113)

Auditory system
Electron microscopy; Glycine transporter; Hearing (Gates, T.S. (96) 157)

Basilar papilla
Differential display; Parathyroid hormone-related protein; Calmodulin-regulated protein kinase II; CDC42; Acoustic trauma (Gong, T.-W.L. (96) 20)

Best frequency
Outer hair cell; Hensen's cell; Sound exposure; Active feedback (Zhang, M. (96) 46)

Calmodulin-regulated protein kinase II
Differential display; Parathyroid hormone-related protein; CDC42; Basilar papilla; Acoustic trauma (Gong, T.-W.L. (96) 20)

Carboplatin
Inner hair cell; Outer hair cell; Cochlear microphonic; Distortion product otoacoustic emission; Compound action potential; Chinchilla (Trautwein, P. (96) 71)

Hearing loss; Otoacoustic emission (Jock, B.M. (96) 179)

CDC42
Differential display; Parathyroid hormone-related protein; Calmodulin-regulated protein kinase II; Basilar papilla; Acoustic trauma (Gong, T.-W.L. (96) 20)

C3H/HeJ substrain
Mouse; C3H/HeSnJ substrain; Auditory brainstem response; Inner ear (Trune, D.R. (96) 41)

C3H/HeSnJ substrain
Mouse; C3H/HeJ substrain; Auditory brainstem response; Inner ear (Trune, D.R. (96) 41)

Chinchilla
Inner hair cell; Outer hair cell; Cochlear microphonic; Distortion product otoacoustic emission; Compound action potential; Carboplatin (Trautwein, P. (96) 71)

Cochlea
Immunohistochemistry; Immunoelectron microscopy; Vimentin; GLUT1 (Nakazawa, K. (96) 13)

Superoxide dismutase (SOD); ELISA; Glucocorticoid; Methylprednisolone (MP) (Yao, X. (96) 199)

Cochlear microphonic
Inner hair cell; Outer hair cell; Distortion product otoacoustic emission; Compound action potential; Carboplatin; Chinchilla (Trautwein, P. (96) 71)

Compound action potential
Inner hair cell; Outer hair cell; Cochlear microphonic; Distortion product otoacoustic emission; Carboplatin; Chinchilla (Trautwein, P. (96) 71)

Development
Inner ear; Extracellular matrix; Tectorial membrane; Hair cell; Supporting cell (Goodyear, R. (96) 167)

Differential display
Parathyroid hormone-related protein; Calmodulin-regulated protein kinase II; CDC42; Basilar papilla; Acoustic trauma (Gong, T.-W.L. (96) 20)

Distortion product otoacoustic emission
Noise exposure; Guinea pig (Chang, K.W. (96) 1)

Inner hair cell; Outer hair cell; Cochlear microphonic; Compound action potential; Carboplatin; Chinchilla (Trautwein, P. (96) 71)

Double-barrelled microelectrode
Electrochemical potential; Potassium determination; Endolymph; Perilymph; Marginal cell; Spiral ligament (Ma, Y.L. (96) 151)

Efferent
Two-tone; Suppression; Long-term (Cai, Y. (96) 141)

Electrochemical potential
Potassium determination; Double-barrelled microelectrode; Endolymph; Perilymph; Marginal cell; Spiral ligament (Ma, Y.L. (96) 151)

Electron microscopy
Auditory system; Glycine transporter; Hearing (Gates, T.S. (96) 157)

ELISA
Superoxide dismutase (SOD); Glucocorticoid; Cochlea; Methylprednisolone (MP) (Yao, X. (96) 199)

Endolymph
Electrochemical potential; Potassium determination; Double-barrelled microelectrode; Perilymph; Marginal cell; Spiral ligament (Ma, Y.L. (96) 151)

Extracellular matrix
Inner ear; Tectorial membrane; Hair cell; Supporting cell; Development (Goodyear, R. (96) 167)

Glucocorticoid
Superoxide dismutase (SOD); ELISA; Cochlea; Methylprednisolone (MP) (Yao, X. (96) 199)

GLUT1
Cochlea; Immunohistochemistry; Immunoelectron microscopy; Vimentin (Nakazawa, K. (96) 13)

Glycine transporter
Auditory system; Electron microscopy; Hearing (Gates, T.S. (96) 157)

Guinea pig
Distortion product otoacoustic emission; Noise exposure (Chang, K.W. (96) 1)

Hair cell
Inner ear; Extracellular matrix; Tectorial membrane; Supporting cell; Development (Goodyear, R. (96) 167)

Hearing
Auditory system; Electron microscopy; Glycine transporter (Gates, T.S. (96) 157)

Hearing loss
Otoacoustic emission; Carboplatin (Jock, B.M. (96) 179)

Hensen's cell
Outer hair cell; Best frequency; Sound exposure; Active feedback (Zhang, M. (96) 46)

Hydraulic skeleton
Osmosis; Mathematical model (Ratnanather, J.T. (96) 33)

Immunoelectron microscopy
Cochlea; Immunohistochemistry; Vimentin; GLUT1 (Nakazawa, K. (96) 13)

Immunohistochemistry
Cochlea; Immunoelectron microscopy; Vimentin; GLUT1 (Nakazawa, K. (96) 13)

Inner ear
Mouse; C3H/HeJ substrain; C3H/HeSnJ substrain; Auditory brainstem response (Trune, D.R. (96) 41)

Extracellular matrix; Tectorial membrane; Hair cell; Supporting cell; Development (Goodyear, R. (96) 167)

Inner hair cell
Outer hair cell; Cochlear microphonic; Distortion product otoacoustic emission; Compound action potential; Carboplatin; Chinchilla (Trautwein, P. (96) 71)

Two-tone suppression; Model; Temporal; Outer hair cell; Transfer function (Cai, Y. (96) 126)

Interaural cue
Spatial hearing; Auditory evoked potential; Mismatch negativity (Schröger, E. (96) 191)

Long-term
Two-tone; Suppression; Efferent (Cai, Y. (96) 141)

Low-frequency tone
Auditory nerve; Peak-splitting; Phase (Cai, Y. (96) 83)

Marginal cell
Electrochemical potential; Potassium determination; Double-barrelled microelectrode; Endolymph; Perilymph; Spiral ligament (Ma, Y.L. (96) 151)

Mathematical model
Hydraulic skeleton; Osmosis (Ratnanather, J.T. (96) 33)

Methylprednisolone (MP)
Superoxide dismutase (SOD); ELISA; Glucocorticoid; Cochlea (Yao, X. (96) 199)

Mismatch negativity
Spatial hearing; Interaural cue; Auditory evoked potential (Schröger, E. (96) 191)

Model
Two-tone suppression; Temporal; Outer hair cell; Inner hair cell; Transfer function (Cai, Y. (96) 126)

Mouse
C3H/HeJ substrain; C3H/HeSnJ substrain; Auditory brainstem response; Inner ear (Trune, D.R. (96) 41)

Noise exposure
Distortion product otoacoustic emission; Guinea pig (Chang, K.W. (96) 1)

Osmosis
Hydraulic skeleton; Mathematical model (Ratnanather, J.T. (96) 33)

Otoacoustic emission
Hearing loss; Carboplatin (Jock, B.M. (96) 179)

Outer hair cell
Hensen's cell; Best frequency; Sound exposure; Active feedback (Zhang, M. (96) 46)

Inner hair cell; Cochlear microphonic; Distortion product otoacoustic emission; Compound action potential; Carboplatin; Chinchilla (Trautwein, P. (96) 71)

Two-tone suppression; Model; Temporal; Inner hair cell; Transfer function (Cai, Y. (96) 126)

Parathyroid hormone-related protein
Differential display; Calmodulin-regulated protein kinase II; CDC42; Basilar papilla; Acoustic trauma (Gong, T.-W.L. (96) 20)

Peak-splitting
Low-frequency tone; Auditory nerve; Phase (Cai, Y. (96) 83)

Perilymph
Electrochemical potential; Potassium determination; Double-barrelled microelectrode; Endolymph; Marginal cell; Spiral ligament (Ma, Y.L. (96) 151)

Phase
Low-frequency tone; Auditory nerve; Peak-splitting (Cai, Y. (96) 83)

Potassium determination
Electrochemical potential; Double-barrelled microelectrode; Endolymph; Perilymph; Marginal cell; Spiral ligament (Ma, Y.L. (96) 151)

Songbird
Anesthesia; Auditory cortex analogue; Telencephalon; Urethane (Capsius, B. (96) 59)

Sound exposure
Outer hair cell; Hensen's cell; Best frequency; Active feedback (Zhang, M. (96) 46)

Spatial hearing
Interaural cue; Auditory evoked potential; Mismatch negativity (Schröger, E. (96) 191)

Spiral ligament
Electrochemical potential; Potassium determination; Double-barrelled microelectrode; Endolymph; Perilymph; Marginal cell (Ma, Y.L. (96) 151)

Spontaneous rate
Auditory nerve; Two-tone suppression; Afferent synapse (Cai, Y. (96) 113)

Superoxide dismutase (SOD)
ELISA; Glucocorticoid; Cochlea; Methylprednisolone (MP) (Yao, X. (96) 199)

Supporting cell
Inner ear; Extracellular matrix; Tectorial membrane; Hair cell; Development (Goodyear, R. (96) 167)

Suppression
Two-tone; Long-term; Efferent (Cai, Y. (96) 141)

Suppression phase-lead
Two-tone suppression; Auditory nerve (Cai, Y. (96) 94)

Tectorial membrane
Inner ear; Extracellular matrix; Hair cell; Supporting cell; Development (Goodyear, R. (96) 167)

Telencephalon
Anesthesia; Auditory cortex analogue; Songbird; Urethane (Capsius, B. (96) 59)

Temporal
Two-tone suppression; Model; Outer hair cell; Inner hair cell; Transfer function (Cai, Y. (96) 126)

Transfer function
Two-tone suppression; Model; Temporal; Outer hair cell; Inner hair cell (Cai, Y. (96) 126)

Two-tone
Suppression; Long-term; Efferent (Cai, Y. (96) 141)

Two-tone suppression
Auditory nerve; Suppression phase-lead (Cai, Y. (96) 94)

Auditory nerve; Spontaneous rate; Afferent synapse (Cai, Y. (96) 113)

Model; Temporal; Outer hair cell; Inner hair cell; Transfer function (Cai, Y. (96) 126)

Urethane
Anesthesia; Auditory cortex analogue; Songbird; Telencephalon (Capsius, B. (96) 59)

Vimentin
Cochlea; Immunohistochemistry; Immunoelectron microscopy; GLUT1 (Nakazawa, K. (96) 13)